



THE
BIGGER5™
"AUGMENTED"

EST. 2022 BY REPUBLIC® FLOOR



WELCOME TO
"AN URBAN JUNGLE ADVENTURE"



*"...while everyone calls it just SPC/WPC planks or LVT Dryback we are proud to call it -
"Enhanced Texture Slabs" and "Premium Feelwood Stipes" and you will find out why...!"*

*"Nature's highway is a constant battle of aggressive maneuvers and daring overtakes, where
survival is the ultimate trophy and dominance is the currency of the wild."*

EST. 2022 BY REPUBLIC® FLOOR



"In the heart of the wilderness, the wolfpack roams, raw and strong, their howls provocative, echoing the untamed spirit of the wild."

EUROPE COLLECTION
BY
REPUBLIC®




EUROPE COLLECTION

WOLF
ADVENTURE



THE BIGGER5™

EUROPE COLLECTION
BY
REPUBLIC®



- 0.30mm Wearlayer + PU-Protection Shield
- Decorfilm
- SPC Composite Layer
- Acoustic backing



Total Thickness
4.50mm



Wear Layer
0.30mm



Coreboard
3.50mm



Underlay
1.0mm IXPE



Surface
Micro Bevel + UV
Coating



Planks Size (W x L)
1218mm x 181mm

Enhanced Texture Slabs



REEUCW001 - WINNI



REEUCW002 - BANG



REEUCW003 - CRINGE



REEUCW004 - STRANGE



REEUCW005 - ON FLEEK



REEUCW006 - CHILL OUT



„In the rugged embrace of the wild, the grizzly prowls, a force of nature, its growl a thunderous defiance, daring all who cross its path.“

EUROPE COLLECTION
BY
REPUBLIC®



NORTH AMERICA COLLECTION



GRIZZLY
ADVENTURE



THE BIGGER5™

EUROPE COLLECTION
BY
REPUBLIC



- 0.50mm Wearlayer + PU-Protection Shield
- Decorfilm
- SPC Composite Layer
- Accoustic backing



Total Thickness
5.50mm



Wear Layer
0.50mm



Coreboard
4.0mm



Underlay
1.50mm Bio-Guard



Surface
EIR + Bevelled Edge + UV Coating



Planks Size (W x L)
1218mm x 228mm

PRODUCT DESIGN
MADE IN GERMANY

DryBack

Enhanced Texture Slabs / Premium Feelwood Stripes

PureSPC Max



RENACG001 - BASH



RENACG003 - SWAG



RENACG005 - BABO



RENACG007 - LOST



RENACG009 - SMOMBIE




RENACG011 - BUG



RENACG013 - SHEESH



RENACG015 - BUZZ



RENACG002 - BANKSTER



RENACG004 - EPIC



RENACG006 - BLUSH




RENACG008 - FAME



RENACG010 - FLY



RENACG012 - WYLD



RENACG014 - FAIL

* Also available
as LVT-Dryback





EUROPE COLLECTION
BY
 REPUBLIC®

*„In the heart of untamed, a colossal tiger roars, its ferocity provocative, a primal symphony
echoing through the wilderness, commanding respect from all who dare to listen.“*



NORTH AMERICA COLLECTION



TIGER
ADVENTURE



THE BIGGER5™

EUROPE COLLECTION
BY
REPUBLIC



- 0.55mm Wearlayer + PU-Protection Shield
- Decorfilm
- SPC Composite Layer
- Acoustic backing



Total Thickness
6.0mm



Wear Layer
0.55mm



Coreboard
4.50mm



Underlay
1.50mm Bio-Guard



Surface
EIR + Bevelled Edge + UV Coating



Planks Size (W x L)
1800mm x 228mm (Wide Plank)

PRODUCT DESIGN
MADE IN GERMANY

Enhanced Texture Slabs / Longplank

PureSPC Max



REASCT001 - BOUNCE



REASCT002 - EGO



REASCT003 - LEGA



REASCT004 - BOOM



REASCT005 - FREEE



REASCT006 - WAMP



REASCT007 - SQUEEEZE




REASCT008 - QUEST



REASCT009 - GRAND



REASCT010 - BROKE





„In the savage kingdom of beasts, the Lion reigns supreme, its raw power a testament to its majestic authority, commanding reverence from all who dare to challenge its throne.“

EUROPE COLLECTION
BY
REPUBLIC®



AFRICA COLLECTION

LION ADVENTURE



THE BIGGER5™

EUROPE COLLECTION
BY
 REPUBLIC®



- 0.55mm Wearlayer
+ PU-Protection Shield
- Decorfilm
- SPC Composite Layer
- Acoustic backing



Total Thickness
7.0mm



Wear Layer
0.55mm




Coreboard
5.50mm



Underlay
1.50mm Bio-Guard



Surface
Herringbone EIR
+ Bevelled Edge
+ UV Coating



Planks Size (W x L)
592mm x 148mm

PRODUCT DESIGN
MADE IN GERMANY

PureSPC[®]Max

Enhanced Texture Slabs / Herringbone



REAFCL001 - NO CAP



REAFCL002 - SIMP



REAFCL003 - SNITCH




REAFCL004 - BRO





„In the shadows of the swamp, the crocodile waits, its massive jaws ready to snap, a primal force of nature, raw and unrelenting, instilling terror with each mighty lunge.“

EUROPE COLLECTION
BY
 REPUBLIC®



AUSTRALIA COLLECTION



CROCODILE
ADVENTURE



THE BIGGER5™

EUROPE COLLECTION
BY
REPUBLIC



PURESPC

- 0.55mm Wearlayer + PU-Protection Shield
- Decorfilm
- LVT Layer
- SPC Composite Layer
- LVT Layer
- Acoustic backing

- 0.55mm Wearlayer + PU-Protection Shield
- Decorfilm
- LVT-Dryback Composite Layer

DRYBACK



Total Thickness
7.50mm



Wear Layer
0.55mm



Coreboard
6.0mm



Underlay
1.5mm Bio-Guard



Surface
EIR + Bevelled Edge



Planks Size (W x L)
1218mm x 228mm

DryBack

PureSPC

* Also available
as LVT-Dryback

Enhanced Texture Slabs / Premium Feelwood Stripes



REAUCC001 - THUG



REAUCC002 - CRAZEE



REAUCC003 - BOSS



REAUCC004 - LESS



REAUCC005 - THRIFT



REAUCC006 - BUMP


PRODUCT DESIGN
MADE IN GERMANY





EUROPE COLLECTION
BY
 REPUBLIC®

"Silent waters hide fierce jaws. The Alligator embodies raw, primal power, waiting to strike with unrelenting force. Dare to tread carefully, or become part of the legend."



AUSTRALIA COLLECTION

ALLIGATOR ADVENTURE



THE BIGGER5™

EUROPE COLLECTION
BY
REPUBLIC



0.70mm Wearlayer
+ PU-Protection Shield

1.5mm LVT Layer
incl. Decorfilm

WPC Composite Layer

Cork backing



Total Thickness
8.0mm



Wear Layer
0.70mm



Coreboard
7.0mm



Underlay
1.0mm Cork



Surface
Black Emerald + EIR
+ Deep Bevelled Edge



Planks Size (W x L)
1524mm x 228mm

PRODUCT DESIGN
MADE IN GERMANY

PureWPC Max

Enhanced Texture Slabs



COREAL001 - RIZZ



COREAL002 - SIDE EYE



COREAL003 - NO FRONT



COREAL004 - DELULU



COREAL005 - GULP




COREAL006 - GOOFY



„In the icy expanse of the Artic, the Polar bear prowls, a relentless predator forged by frigid winds and barren landscapes. With claws like daggers and hunger as vast as the frozen tundra, it stalks its prey with ruthless determination, a solitary hunter in the unforgiving wilderness.“


UNVEILING SHORTLY!





„In the depths of the night, a sleek shadow born of darkness. With eyes ablaze like amber fire and muscles coiled with lethal precision, it is the epitome of primal grace and silent menace, a hunter unmached in the savage dance of life and death.“

UNVEILING SHORTLY!



EUROPE COLLECTION
BY
 REPUBLIC®

SOUTH AMERICA COLLECTION



„Produced & stored exclusively for Europe“



Floor Properties

Characteristics	Standards	Wolf	Grizzly	Tiger	Lion	Crocodile
Total Thickness	EN ISO 24346	4.5mm	5.5mm	6mm	7mm	7.5mm
Acoustic Solution	EN ISO 24346	1mm IXPE	1.5mm (With antibacterial Bio-Guard)	1.5mm (With antibacterial Bio-Guard)	1.5mm (With antibacterial Bio-Guard)	1.5mm (With antibacterial Bio-Guard)
Wear Layer	EN ISO 24340	0.3mm	0.5mm	0.55mm	0.55mm	0.55mm
Finish		UV COATING	UV COATING	UV COATING	UV COATING	UV COATING
Surface		Micro-bevel	EIR+Bevelled Edge	EIR+Bevelled Edge	Herringbone EIR+Bevelled Edge	EIR+Bevelled Edge
Installation Method		Uniclic Locking - Glueless Floating	Uniclic Locking - Glueless Floating	Uniclic Locking - Glueless Floating	Uniclic Locking - Glueless Floating	Uniclic Locking - Glueless Floating
Usage Class	EN 10874 (of EN 16511)	23/32	23/34	23/34	23/34	23/34

Packaging Information

Planks Size (L*W)		1218mm*181mm	1218mm*228mm	1800mm*228mm	592mm*148mm	1218mm*228mm
Pallet Size (W*L*H)		1000*1250*760mm	1000*1250*760mm	1000*1830*680mm	1000*1250*750mm	1000*1250*760mm
Planks/package (sqm/package)		10 (2.20 sqm)	8 (2.22 sqm)	5 (2.05 sqm)	16 (1.40 sqm)	6 (1.66 sqm)
Weight/package		16.91kg	19.38kg	20kg	16.50kg	22.44kg
Package/pallet		55	48	60	60	48
sqm/pallet		121	107	123	84	80
sqm/container		2904	2568	2091	1764	1600
Pallet/container		24	24	17	21	20
Package/container		1320	1152	1020	1260	960
Total weight/pallet		950kg	960kg	1200kg	1040kg	1077kg

Behaviour to Heat

Reaction to Fire (CE)	EN 13501-1	Bfl-S1	Bfl-S1	Bfl-S1	Bfl-S1	Bfl-S1
Thermal Conductivity	EN 12667	0.087 W/(m·K)	0.110 W/(m·K)	0.107 W/(m·K)	0.131 W/(m·K)	0.143 W/(m·K)
Thermal Resistance	EN 12667	0.030 (m²·K)/W	0.030 (m²·K)/W	0.030 (m²·K)/W	0.030 (m²·K)/W	0.030 (m²·K)/W
Curling after Exposure to Heat	EN ISO 23999	No curling	≤ 0.5 mm	≤ 0.5 mm	≤ 0.5 mm	≤ 1.0 mm
Underfloor Heating suitability		Suitable, max 27°C	Suitable, max 27°C	Suitable, max 27°C	Suitable, max 27°C	Suitable, max 27°C

Technical Features

Static Electrical Propensity (CE)	EN 14041	0.5kV, Pass	0.5kV, Pass	0.5kV, Pass	0.5kV, Pass	0.5kV, Pass
Slip Resistance (CE)	EN 13893	DS	DS	DS	DS	DS
Slip Resistance (Ramp Test)	DIN 51130	R9	R9	R9	R9	R9
Abrasion Resistance	EN 15468, Annex A	> 7300 revolutions (≥ 7000 for Class 34)	> 7300 revolutions (≥ 7000 for Class 34)	> 7300 revolutions (≥ 7000 for Class 34)	> 7300 revolutions (≥ 7000 for Class 34)	> 7300 revolutions (≥ 7000 for Class 34)
Locking Strength	ISO 24334	Long edge: 4.5 kN/m, short edge: 5.5 kN/m	Long edge: 4.5 kN/m, short edge: 5.5 kN/m	Long edge: 4.5 kN/m, short edge: 5.5 kN/m	Long edge: 4.5 kN/m, short edge: 5.5 kN/m	Long edge: 4.5 kN/m, short edge: 5.5 kN/m
Castor Chair Resistance	ISO 4918	Pass (Type W, > 25000cycles)	Pass (Type W, > 25000cycles)	Pass (Type W, > 25000cycles)	Pass (Type W, > 25000cycles)	Pass (Type W, > 25000cycles)
Effect of Furniture Leg	EN ISO 16581	Pass	Pass	Pass	Pass	Pass
Microscratch Resistance	DIN EN 16094	MSR-A3	MSR-A2	MSR-A2	MSR-A2	MSR-A2
Residual Indentation	EN ISO 24343-1	0.03mm	0.04mm	0.04mm	0.04mm	0.04mm
Dimensional Stability	EN ISO 23999	≤ 0.05%	≤ 0.05%	≤ 0.05%	≤ 0.05%	≤ 0.05%
Impact Sound Improvement	EN ISO 717-2	ΔLw = 21 dB	ΔLw = 20 dB	ΔLw = 20 dB	ΔLw = 20 dB	ΔLw = 20 dB
Resistance to Stain	EN 438-2	Group 1: Grade 5 Group 2: Grade 4 Group 3: Grade 4/5/5	Group 1: Grade 4 Group 2: Grade 5 Group 3: Grade 4/5/5	Group 1: Grade 4 Group 2: Grade 5 Group 3: Grade 4/5/5	Group 1: Grade 4 Group 2: Grade 5 Group 3: Grade 4/5/5	Group 1: Grade 4 Group 2: Grade 5 Group 3: Grade 4/5/5
Impact Resistance	EN 13329	> 1800mm	> 1800mm	> 1800mm	> 1800mm	> 1800mm

Toxic Substances

Formaldehyde / VOC Emissions	EN 717-1	E1 / VOC Free	E1 / VOC Free	E1 / VOC Free	E1 / VOC Free	E1 / VOC Free
Greenguard		Pass	Pass	Pass	Pass	Pass
Phthalate Free		Yes	Yes	Yes	Yes	Yes



DryBack

Enhanced Texture Slabs

PureWPC Max

Premium Feelwood Stripes

Floor Properties

Characteristics	Standards	Grizzly A / Crocodile
Total Thickness	EN ISO 24346	2.5mm
Wear Layer	EN ISO 24340	0.5mm
Finish		UV COATING
Surface		Registered Embossing (EIR)
Installation Method		Gluedown
Usage Class	EN 10874 (of EN ISO 10582)	23/33/41

Packaging Information

Planks Size (L*W)		1219*228mm
Pallet Size (W*L*H)		1000*1250*720mm
Planks/package (sqm/package)		16 (4.44sqm)
Weight/package		21.66kg
Package/pallet		52
sqm/pallet		230.8
sqm/container		4617
Pallet/container		20
Package/container		1040
Total weight/pallet		1146kg

Behaviour to Heat

Reaction to Fire (CE)	EN 13501-1	Bfl-S1
Underfloor Heating suitability		Suitable, max. 27°C
Slip Resistance	EN 13893	DS
Residual Indentation	EN ISO 24343-1	≤ 1%
Dimensional Stability	EN ISO 23999	≤ 0.15%

Toxic Substances

Formaldehyde / VOC Emissions	EN 717-1	E1 / VOC Free
Greenguard		Pass
Phthalate Free		Yes

Floor Properties

Total Thickness	EN ISO 24346	8mm
Acoustic Solution	EN ISO 24346	1mm Cork
Wear Layer	EN ISO 24340	0.7mm
Finish		Black Emerald Coating
Surface		EIR+Deep Bevelled edge
Installation Method		Uniclic Locking - Glueless Floating
Usage Class	EN 10874 (of EN 16511)	23/34

Packaging Information

Planks Size (L*W)		1524mm*228mm
Pallet Size (W*L*H)		980*1550*860mm
Planks/package (sqm/package)		6 (2.08 sqm)
Weight/package		17.24kg
Package/pallet		68
sqm/pallet		141
sqm/container		1985
Pallet/container		14
Package/container		952
Total weight/pallet		1225kg

Behaviour to Heat

Reaction to Fire (CE)	EN 13501-1	Bfl-S1
Thermal Conductivity	EN 12667	0.107 W/(m·K)
Thermal Resistance	EN 12667	0.073 (m²·K)/W
Curling after Exposure to Heat	EN ISO 23999	≤ 0.5 mm
Underfloor Heating suitability		Suitable, max 27°C

Technical Features

Slip Resistance (CE)	EN 13893	DS
Slip Resistance (Ramp Test)	DIN 51130	R10
Abrasion Resistance	ISO 24338	> 7700 cycles (≥ 7000 for Class 34)
Locking Strength	ISO 24334	LS: 2.4 kN/m, SS: 3.6 kN/m
Castor Chair Resistance	ISO 4918	Pass (Type W, > 25000cycles)
Effect of Furniture Leg	EN ISO 16581	Pass
Microscratch Resistance	DIN EN 16094	ΔR' = 1, MSR-B1
Residual Indentation	EN ISO 24343-1	0.05mm
Impact Sound Improvement	EN ISO 717-2	ΔLw = 20 dB
Resistance to Stain	EN 438-2	Acetone: Grade 5 Coffee: Grade 5 NaOH: Grade 4 H ₂ O ₂ : Grade 5 Carbon Black Suspension: Grade 5
Formaldehyde / VOC Emissions	EN 717-1	E1 / VOC Free
Content of Pentachlorophenol (PCP)	EN 14041, Annex B	Pass
Greenguard		Pass
Phthalate Free		Yes

Toxic Substances



„Produced & stored exclusively for Europe“



THE ICONIC COLLECTIONS



BY REPUBLIC®

"Simplicity is the ultimate satisfaction..."

- Welcome to Republic® Floor Germany GmbH -

... an integral part of the Republic® Group of companies, operating globally with a steadfast commitment to excellence. Republic® Floor was originally founded in 2014 in the USA by Eli Shuat and Rotem Eylor.

Since then Republic® had an incredible journey by opening 14 huge distributions centers in North America, Canada and Middle East. Today Republic® has branches and distribution centers around the world and is still growing... At Republic®, we uphold a tradition of delivering exceptional products, pioneering marketing strategies, and innovative distribution methods, all while staying true to our core values of loyalty, trust, sustainability, and future vision. Central to our operations is our revolutionary distribution network.

By establishing logistics hubs worldwide and maintaining control over our manufacturing processes, we guarantee a seamless flow of goods to our customers. With our efficient pipeline and strategically located warehouses, we ensure prompt delivery, eliminating lengthy waiting periods and providing unparalleled service. Yet, beyond products and distribution lies our cornerstone: marketing with values. In a world inundated with noise, clarity is paramount. We're proud to be recognized as one of the premier brands in the USA, and we're performing a similar impact in Europe.

Our focus isn't solely on the technical aspects of flooring solutions but on the ethos behind our brand. Republic® stands for more than just functional floors; we stand for integrity, reliability, and the assurance that our products are fit for our own families and friends. As we embark on our European marketing campaign, we remain steadfast in our commitment to our core values. Amidst changing landscapes and evolving markets, Republic® remains unwavering in its dedication to excellence. Our theme, "An Urban Jungle Adventure - Incredibly Insane...!" encapsulates the excitement and innovation that define our brand. Ultimately, our success hinges on more than just profits. It's about purpose, belief, and the shared values that resonate with our customers.

By prioritizing our 'why' – our cause, our belief – we foster trust, loyalty, and enduring relationships. At Republic®, every step we take, from design to production to customer service, is guided by our unwavering commitment to our core values. Join us on this journey as we redefine flooring solutions and set new standards of excellence. With Republic®, you're not just getting a product; you're becoming part of a legacy built on trust, innovation, and a vision for a better future - welcome to Republic® family!!!


Your Republic® Team Europe





REPUBLIC®

Clients world wide



„To me, marketing is about values...

In today's fast-paced and noisy world, capturing consumer attention is a daunting task. We must be crystal clear about what sets us apart. Our proven success in the USA positions us as one of the top brands, and we're on the brink of achieving similar recognition in Europe. However, sustaining our brand's relevance requires continuous investment in preserving our core values.

Our mission in Europe wasn't just about promoting product features; it's about communicating our core values. Republic Floor stands for more than just providing flooring solutions, at its core, it embodies a commitment to delivering products we can wholeheartedly recommend to our loved ones. This ethos permeates every aspect of our organization, reflecting our unwavering dedication to quality and integrity.

As we launched our inaugural marketing campaign in Europe, our primary focus was and will be on emphasizing this core value. Despite the shifts in the flooring industry due to the pandemic, Republic's core values remain unchanged. Our first marketing campaign in Europe was articulate this enduring commitment. Our customers deserve clarity about who we are and what we represent. Therefore, our marketing efforts must communicate our unwavering commitment to excellence in every aspect of our operations.

In essence, Republic Floor is synonymous with uncompromising quality, integrity, and a steadfast commitment to our core values. Our purpose

extends beyond profit, it's about making a meaningful impact and ensuring that our customers trust us implicitly. Additionally, beyond advertising, we must ensure that our customers are fully informed about us. Exciting product announcements are on the horizon, and significant developments are underway within the next six months.

In conclusion, our "why" – our purpose, cause, and beliefs – is what resonates with our customers, fostering trust, loyalty, and predictability. As we continue to innovate and expand, let's ensure that our core values remain at the forefront of everything we do.

So, what sets our company apart and draws customers to us is our "why" – our underlying purpose and beliefs. It's not just about presenting facts, figures, and data or showcasing why we're better than our competitors. At the end of the day, businesses and customers are made up of people. People are more inclined to buy from companies whose values align with their own. Building trust, fostering loyalty, and maintaining consistency are key elements in earning customer confidence. We strive to always deliver on our promises, ensuring that our actions are predictable in a positive manner...a trustful, honest and strong relationship is always the key. Some would like it or not, our campaign shows who we are and how we act - always reflecting our core values.

You can quote us, disagree with us, glorify or vilify us, but the only thing you can't do is ignore us because we change things in our industry".

Martin Dettmer - Director of International Sales and Marketing



EST. 2022 BY REPUBLIC® FLOOR

THE BIGGER5™



OUR
REPUBLIC® FAMILY



